

Claims

- [c1] A method for distributing a print task among multiple printers, said method comprising the acts of:
- sending a print task to a print processor;
 - sending print task modification commands to said print processor; and
 - modifying said print task with said print processor.
- [c2] The method of claim 1 wherein said sending said print task modification commands comprises reading command data from a configuration file.
- [c3] The method of claim 1 further comprising the act of prompting a user for print task modification commands.
- [c4] The method of claim 2 wherein said prompting is print-processor based.
- [c5] The method of claim 2 wherein said prompting is driver-based.
- [c6] The method of claim 1 wherein said modification comprises dividing said print task into multiple modified print tasks.
- [c7] The method of claim 5 wherein said dividing comprises job splitting.
- [c8] The method of claim 5 wherein said dividing comprises copy splitting.
- [c9] The method of claim 5 wherein said dividing comprises a combination of copy splitting and job splitting.
- [c10] The method of claim 1 wherein said modifying comprises dividing said print task into multiple modified print tasks and further comprising the act of distributing said multiple modified print tasks to a plurality of printing devices.
- [c11] The method of claim 1 wherein said print task is a printer-ready file.
- [c12] The method of claim 1 wherein said print task is journalled printer data.
- [c13] A print processor capable of modifying a print task according to print task modification commands, said print processor comprising:

an input for receiving a print task;
an interface for receiving a print task modification command; and
an output for sending at least one modified print task.

- [c14] The print processor of claim 11 wherein said interface receives print task modification commands independently of said input for receiving a print task.
- [c15] The print processor of claim 11 wherein said interface is a dialog box.
- [c16] The print processor of claim 11 wherein said interface prompts a user for job splitting parameters.
- [c17] The print processor of claim 11 wherein said interface prompts a user for copy splitting parameters.
- [c18] The print processor of claim 11 wherein said interface prompts a user for copy splitting and job splitting parameters.
- [c19] The print processor of claim 11 wherein said interface prompts a user for multiple printer selection.
- [c20] A computer readable medium comprising instructions for modifying a print task with a print processor, said instructions comprising the acts of:
 sending a print task to a print processor;
 sending print task modification commands to said print processor; and
 modifying said print task with said print processor.
- [c21] A computer data signal embodied in an electronic transmission, said signal having the function of modifying a print task with a print processor, said signal comprising instructions for:
 sending a print task to a print processor;
 sending print task modification commands to said print processor; and
 modifying said print task with said print processor.

[c22]

A method for modifying a print task with a print processor, said method comprising the acts of:

- sending a print task to a driver;
- prompting a user for print task modification commands;
- creating a spool file for said print task;
- sending said spool file to a spooler;
- spooling said spool file to a modifying print processor;
- modifying said print task according to said print task modification commands thereby creating at least one modified print task;
- sending said at least one modified print task to at least one printing device.

[c23]

A method for distributing a print task to multiple printing devices with a print processor, said method comprising the acts of:

- generating a print task from an application, said print task being configured for printing on a single printing device;
- invoking a print driver for combining device initialization and environment data for said single printing device and print task data from said application and creating a spool file;
- obtaining cluster printing data;
- sending said spool file to a spooler;
- spooling said spool file to a cluster-enabled print processor (CPP);
- modifying said spool file data with said CPP to cause said print task to be distributed to multiple printing devices thereby creating at least one modified print task; and
- sending said at least one modified print task to said multiple printing devices.